Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:
1. (Canceled)
2. (Canceled)
3. (Currently Amended) A method for securely communicating with a server program using a
secure hypertext transfer protocol which by default uses a first port number associated therewith,
said method practiced in connection with a hypertext transfer protocol which defaults to the use
of a second port number associated therewith, said method comprising:
(a) configuring the server program so that it listens for requests for secure hypertext transfer
protocol sessions on the second port number rather than the first port number;
(b) receiving at the server program on the second port number a first data packet in a manner
that is consistent with the secure hypertext transfer protocol, except that the request is received
on the second port number rather than the first port number;
(c) outputting from the server program a response to the first data packet in a manner that is
consistent with the secure hypertext transfer protocol, except that the request was received on the
second port number rather than the first port number[.];
wherein the first port number is 443 and the second port number is 80.
4. (Canceled)
5. (Canceled)
6. (Canceled)

7. (Canceled)

- 8. (Canceled)
- 9. (Canceled)
- 10. (Original) A method for operating a web server system comprising:
- (a) configuring the web server system to use port 80 for communications using a protocol selected from the group consisting of: secure socket layer, secure sockets layer, SSL, secure hypertext transfer protocol, and HTTPS;
- (b) receiving at port 80 at the web server system a first data packet that is formatted in accordance with the protocol; and —
- (c) responding to the first data packet with a second data packet that is formatted in accordance with the protocol.
- 11. (Original) A web server system comprising:
- (a) web server software configured to use port 80 for communications using a protocol selected from the group consisting of: secure socket layer, secure sockets layer, SSL, secure hypertext transfer protocol, and HTTPS;
- (b) means for receiving at port 80 at the web server system a first data packet that is formatted in accordance with the protocol; and
- (c) means for responding to the first data packet with a second data packet that is formatted in accordance with the protocol.